


**Product Data Sheet (2018-09-17)**
**18260 - Flamco Storage vessel PS-K 500L**


Description	Flamco Storage vessel PS-K 500L	
Article	18260	
Model	PS-K 500 - 3000	
Capacity [l]	500	
Dimensions *	Ø [mm]	650
	H [mm]	1640
	Tilting height [mm]	1700
Weight [kg]	120	


**Packaging info**

Unity of use	1 Piece
Packaging form	Pallet
Packaging dimensions (H. x W. x L.)	1770 x 800 x 800 mm
Weight	135 Kilogram

### Classification General Data

<b>Etim Group</b>	Storage tanks/vessels
<b>Etim Class</b>	Storage tank
<b>Product Name</b>	Flamco Storage vessel PS-K 500L
<b>Brand</b>	Flamco
<b>Product Series</b>	PSK
<b>Product Type</b>	500

### Attributes

<b>Suitable for central heating</b>	No
<b>Suitable for heat pump</b>	No
<b>Suitable for cooling water installation</b>	Yes
<b>Mounting method</b>	Floor standing
<b>Tank material</b>	Steel
<b>Surface protection on the inside</b>	Untreated
<b>Surface protection on the outside</b>	Coated
<b>Surface material</b>	Not applicable
<b>With insulation</b>	No
<b>Volume [l]</b>	500
<b>Height [mm]</b>	1640
<b>Diameter [mm]</b>	650
<b>Diameter without insulation [mm]</b>	650
<b>Max. operating pressure [bar]</b>	6
<b>Max. temperature [°C]</b>	50
<b>Connection 1</b>	Flange
<b>Connection size 1</b>	Other
<b>Connection 2</b>	Flange
<b>Connection size 2</b>	Other
<b>With immersion tube</b>	No
<b>With electrical element</b>	No
<b>With temperature sensor connection</b>	Yes
<b>Number of connections of temperature sensor</b>	3
<b>Connection size temperature sensor</b>	1/2 inch

Type	System connections	DN	Distance between floor and connections		
			A [mm]	B [mm]	C [mm]
PS-K 500	4	80	315	810	1305
PS-K 750	4	100	360	970	1580
PS-K 1000	4	125	385	1100	1815
PS-K 1500	4	150	460	1165	1870
PS-K 2000	4	200	500	1175	1850
PS-K 2500	4	200	520	1320	2120
PS-K 3000	4	200	640	1440	2240

Flamco Group  
Amersfoortseweg 9  
3751 LJ, Bunschoten - nl  
**T** +31 33 299 75 00  
**F** +31 33 298 64 45  
**E** [info@flamcogroup.com](mailto:info@flamcogroup.com)  
**I** [flamcogroup.com](http://flamcogroup.com)